Web   Images   Groups   News   Froogle   Maps   **more »**

Google™

| serializing items data single string | | Search | Advanced Search |
Preferences

Web   Results **31 - 40** of about **646,000** for **serializing items data single string** . (0.09 seconds)

SingletonNode
Determine the **data** type of the **items** in the expression. int, getLength() ... Convert the
value to a **string**, using the **serialization** rules. **Item** · itemAt(int ...
dsd.lbl.gov/~hoschek/javatree/share/xml/ saxonb-
8.6.1/doc/javadoc/net/sf/saxon/value/SingletonNode.html - 39k - Cached - Similar pages

How to: Add **Data** to the Clipboard
A Clipboard format is a **string** that identifies the format so that an ... Use these methods
when you work with **data** in a **single**, common format such as text. ...
msdn2.microsoft.com/en-US/library/637ys738.aspx - 33k - Cached - Similar pages

Introducing XML **Serialization**
The following **items** can be serialized using the XmlSerializer class: ... If you need to
serialize non-public **data**, use the BinaryFormatter class rather than ...
msdn2.microsoft.com/en-US/library/182eeyhh.aspx - 29k - Cached - Similar pages

Durable Java: **Serialization**
Serialization incompatibilities are even more serious than API incompatibilities: we are
talking about customers not being able to read **data** that they ...
www.macchiato.com/columns/Durable4.html - 35k - Cached - Similar pages

StringValue
Convert this **item** into an atomic value, whose type corresponds to the specified target type.
static java.lang.**String**, deserializeString(byte[] **data**) ...
exist-db.org/api/org/exist/ xquery/value/StringValue.html - 52k - Cached - Similar pages

Copyright (C) 2003-2004 * Sean Voisen <sean@mediainsites.com ...
File Format: Unrecognized - View as HTML
Serialize each roster **item**. for(var i in myItems) {. if(!myItems[i].**serialize**(node)){ ...
Adds a **single** roster **item** to the extension payload. ...
www.jivesoftware.org/.../xiff/trunk/src/
actionscript/org/jivesoftware/xiff/**data**/im/RosterExtension.as - Similar pages

Formulator changes 1.11.1 Bugs fixed - Shut up startup warnings ...
... which splitted **strings** coming in as raw unvalidated **data** from the ... Fixed bug in
MultiItemsWidget; would not deal with only a **single item** being ...
www.infrae.com/download/Formulator/HISTORY.txt - 23k - Cached - Similar pages

Introduction to SOAP **Serialization** Rules @ XML JOURNAL
A list of three **items** is passed in the request message. 10.4.4 **Serializing** Dynamically
Typed **Data** SOAP provides for **serialization** of dynamically typed **data**; ...
xml.sys-con.com/read/40565.htm - 82k - Cached - Similar pages

15 Seconds : **Serialization** in the .NET Framework
Another example of when to choose to **serialize** objects is for **data** within objects that
would ... Within this interface we see the following **single** method: ...
www.15seconds.com/issue/020903.htm - 78k - Cached - Similar pages

B XQJ Support
DataDirect XQuery supports **serializing** a result sequence or **single item** into text. ...

String, java.io.Writer, and java.io.OutputStream. This **serialization ...**
media.**data**direct.com/download/ docs/ddxquery/xqjsupport.html - 87k -
Cached - Similar pages

◀ Goooooooooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 12 13   **Next**

| serializing items data single string | | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Google Groups BETA

Web   Images   **Groups**   News   Froogle   Maps   **more »**

serializing items data single string without betw   Search   Advanced Groups Search
Preferences

Members: Sign in

New users: Join

Searched all groups

Results **1 - 10** of 708 for **serializing items data single string without between items** (0.14 seconds)

Sorted by relevance   Sort by date

Recently visited [clear]

comp.lang.ja...ogrammer

✉ Groups Alerts

Create a new group

About Google Groups

MVPs needed!! Persisting metadata...

... the number of **items** I need to **serialize** is quite ... sheet and load the xml **string** (loading
"**<data/>**" if the ... Second Exit Function End If Next **item** Set GetPersistor ...
microsoft.public.excel.programming - Sep 24 2003, 6:41 am by Dag Johansen - 2 messages - 2 authors

Q&A Performance

... a **single string** event though they contain the same **data**. ... is some inefficiency in the **serialization**/deserialization of ... The 1000 **items** thing is something that my ...
Google Web Toolkit - May 19, 7:14 pm by group.owner - 1 message - 1 author

TOC of Python Cookbook now online (was Re: author index for Python ...

... 6.7 Implementing Tuples with Named **Items** 6.8 Avoiding ... Using the marshal Module 7.2
Serializing Data Using the ... Cursors 7.16 Using a **Single** Parameter-Passing ...
comp.lang.python - Mar 30 2005, 3:36 pm by beliav...@aol.com - 11 messages - 7 authors

The **Data** Quality Act

... the object to manage its own state by **serialization** to XML ... So, that 200-**item string**
makes us ReDim the array 200 ... and a new array made, but the old **data** must be ...

comp.programming - Jul 10 2002, 4:00 pm by Programmer Dude - 2089 messages - 65 authors

Change 25098: Re: [PATCH] Pod::Html - correctly link to =**item's** on ...

... A L</variable> prefixed with C<$> that holds a **single** value. ... **item serialization** -Putting a fancy C<**data** structure> into linear order so that it can be ...
perl.perl5.changes - Jul 8 2005, 6:43 am by Steve Hay - 1 message - 1 author

Announce: Hundreds of free java source code snippets

... file into a variable in one shot **Serialize** an object ... table header Remove all rows /
Delete all **data** Changing the ... for each node Multi-line tree **items** Wide cell ...
comp.lang.java.programmer - Jul 13 1999, 8:48 pm by Zafir Anjum

bk commit into 4.0 tree

... On error, this function returns @code{NULL}. @@ -39798,7 +39800,7 @@ **data** from an
old snapshot ... **item** -If nothing helps, **serialize** your transactions with ...
mailing.database.mysql-internals - Sep 10 2002, 4:04 pm by p...@kitebird.com - 35 messages - 12 authors

Fault Tolerance and Load balancing

... by **serializing** and saving (using .NET **serialization** services) all ... for storing and retrieving state **data** from an ... collection exposes all variable **items** that have ...
microsoft.public.dotnet.framework - Apr 2 2002, 12:28 pm by Dale Bundy \(MVP\)
- 4 messages - 3 authors

WebService "not all code paths return a value" error

... **item**.PicName = "NewBornBaby.jpg"; return **item**; Now, when ... similar to [System.Xml.
Serialization.XmlTypeAttribute(Namespace ... XXX;Initial Catalog=XXX;**Data** Source=XXX ...
microsoft.public.dotnet.languages.csharp - Feb 6 2005, 11:23 am by DalePres - 13 messages - 5 authors

Announce: More java source code snippets

... file into a variable in one shot **Serialize** an object ... table header Remove all rows /
Delete all **data** Changing the ... for each node Multi-line tree **items** Wide cell ...
comp.lang.java.programmer - Aug 4 1999, 6:34 am by Zafir Anjum

New! Get the latest messages on **serializing items data single string without between items** emailed to you with Google Alerts.

Goooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10   Next

serializing items data single string w | Search

Google Home - Terms of Service - Privacy Policy

Web   Images   Groups   News   Froogle   Maps   **more »**

Google™

serializing items data single string without betv   Search   Advanced Search
Preferences

Web Results **41 - 50** of about **493,000** for **serializing items data single string without between items** . (0.12

Bitwise Magazine :: serious computing
This month we **serialize** various **data** type including user defined
objects ... In its present form, the behaviour of the buttons and menu
items has yet to be ...
www.bitwisemag.com/copy/csharp/cshp1.html - 32k -
Cached - Similar pages

bxevaluation.html
The processing efficiency for **serialization**, parsing and **data** binding
will ... expression of the format since **data items** (including **strings** and
lists) can ...
www.piercefuller.com/bx-lib/bxevaluation.html - 42k -
Cached - Similar pages

Data::Dump::Streamer - Accurately **serialize** a **data** structure as ...
If called with no args returns a list of **items** ignored (using the ... Meaning
that eight characters are required **without** considering the **data** itself. ...
search.cpan.org/perldoc?Data::Dump::Streamer - 55k -
Cached - Similar pages

package YAML; use strict; use warnings; use YAML::Base; use base ...
=**item** Load(**string**-containing-a-YAML-stream) Turn YAML into Perl
data. ... The YAML **serialization** language is the result of years of
collaboration **between** ...
search.cpan.org/src/INGY/YAML-0.58/lib/YAML.pm - 25k -
Cached - Similar pages

Use Write Caching to Optimize High Volume **Data** Driven Applications ...
Munge all of the **data** into a comma-delimited **string** and pass it to a custom stored
procedure that ... Figure 6: **Serializing** Individual Activity **Items** to XML ...
aspalliance.com/649 - 130k - Cached - Similar pages

Raptor RDF Parser Toolkit - Raptor API
Start to **serialize** content to a **string**. string_p must point to a void* ... Set the sequence
item at index idx to the value **data**, extending it if necessary. ...
librdf.org/raptor/libraptor.html - 196k - Cached - Similar pages

Developing Thread-Safe Libraries
... this enables them to work in both **single**-threaded and multithreaded environments —
without ... Operating on read/write **data items** shared **between** threads ...
h30097.www3.hp.com/docs/base_doc/
DOCUMENTATION/V51B_HTML/ARH9VDTE/THRDSCHP.HTM - 38k -
Cached - Similar pages

ItemSpace **Data** Structures for the Infinity Database Engine B-Tree
Data can also be stored into a new relation **without** creating the new relation in ... The
enforcement of the pairing **between** inverse **Items** constitutes the ...
boilerbay.com/infinitydb/ItemSpaceDataStructures.htm - 191k - Cached - Similar pages

## ONJava.com -- Prevalence: Transparent, Fault-Tolerant Object ...
However, **serialization** is limited in terms of ability to query specific **data**, and, ... Just to make things a bit more interesting, **Items** can be of different ...
www.onjava.com/pub/a/onjava/2005/06/08/prevayler.html - 36k - <u>Cached</u> - <u>Similar pages</u>

Creating and Using Actions
Without the use of Actions this would make the sitemap almost incomprehensible. ...
adding an **item** to the cart, removing one or all **items** from the cart etc. ...
cocoon.apache.org/2.0/userdocs/concepts/actions.html - 33k - <u>Cached</u> - <u>Similar pages</u>

◄ Gooooooooooooooogle ►

Result Page: **Previous** <u>1</u> 2 <u>3</u> <u>4</u> **5** <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u><u>11</u><u>12</u><u>13</u><u>14</u>   **Next**

| serializing items data single string w | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

Web   Images   Groups   News   Froogle   Maps   **more »**

Google™

retrieve data table serializing items data single | Search | Advanced Search
Preferences

Web Results **51 - 60** of about **216,000** for **retrieve data table serializing items data single string without bet**

[PDF] A Study of Erlang ETS **Table** Implementations and Performance
File Format: PDF/Adobe Acrobat - View as HTML
ETS **tables** based on four **data** structures: AVL balanced. binary trees, B-trees, resizable linear ... the root) to be **between** M and 2M **items**. The performance ...
www.erlang.se/workshop/2003/paper/p43-fritchie.pdf - Similar pages

JDataStore: A Pure Java Embeddable Object-Relational Database
Data types supported include Java Object, **String** (up to 2 billion characters), ... For example, you can't add line **items** for an order until the order exists ...
bdn2.borland.com/article/28501 - 36k - Cached - Similar pages

VB.NET Core Classes in a Nutshell: Chapter 1: Introduction
VisualBasic.**Strings**.UCase(CStr(**item**.Key)) _ & ": " & CStr(**item**. ... **Single data** type. The following **table** lists the members of the latter that offer ...
www.oreilly.de/catalog/vbdotnetcore/chapter/ch01.html - 81k - Cached - Similar pages

Programming Tasks
You **retrieve** these values in an array of type **String**. A **single** value for ... Do not use session persistence for storing long-term **data between** sessions. ...
edocs.bea.com/wls/docs61/servlet/progtasks.html - 97k - Cached - Similar pages

Grid **data** processing systems and methods - Patent 6988098
... (GUI) that enables the viewing of **items** like spreadsheets and databases. ... Typically, **data** to be assembled in a **table** format (grid) may be the result ...
www.freepatentsonline.com/6988098.html - 71k - Cached - Similar pages

mcsd 70-315
A protocol is a set of rules that describe how two or more **items** communicate ... Common types, System, All the common **data** types, including **strings**, arrays, ...
www.careeracademy.com/index. asp?PageAction=Custom&ID=157 - 85k - Cached - Similar pages

Dr. Dobb's | Embedded Databases | November 6, 2002
... we used OIDs as the Berkeley DB keys and serialized BLOBs as the **data items**. ... **Data serialization** is the process of transforming in-memory object ...
www.ddj.com/184405226 - 50k - Cached - Similar pages

[PDF] UIGRUIADD WI ?
File Format: PDF/Adobe Acrobat - View as HTML
no **item** enters service **without** the **data** elements needed to construct a unique ... A database shall be capable of using the UID to **retrieve** the **data** record ...
tscp.org/UID/uid_policy_guidance_2003.07.29.pdf - Similar pages

Pass the MCAD/MCSD: Learning to Access and Manipulate XML **Data** ...
Items.Add(sbNode.ToString()); // Now add the attributes, if any if (xr. ... Figure 2.15 Figure 2.15 You can **retrieve data** as XML from a SQL Server database ...

www.examcram2.com/articles/ article.asp?p=31696&seqNum=6 - 48k -
Cached - Similar pages

Nierop Webconsultancy - The scalable Session manager for Asp and ...
Writing **data** to the Application replacement **without** locking it before, ... default property or
indexer, Sets/lets/gets **items** within the instance of the ...
www.nieropwebconsult.nl/ asp_session_manager.htm?page=specs - 33k -
Cached - Similar pages

◄ Gooooooooooooooogle ►

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 101112131415   **Next**

retrieve data table serializing items d Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	serializ$6 near5 (element item data information table row) near5 single adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 09:37
L2	7997	serializ$6 near5 (element item data information table row)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:16
L3	22	2 and (serializ$6 element item data information table row) near5 single adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:17
L4	21	3 and (serializ$6 element item data information table row single adj1 string) near5 (without "no" "not") near5 (inser$6 add$5 additional gap item data between)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:36
L5	5806	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:20
L6	111	5 and serializ$6 near5 (element item data information table row)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:16
L7	0	6 and (serializ$6 element item data information table row) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:18
L8	0	6 and (serializ$6 element item data information table row format$6 output$6 retriev$6) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:20
L9	292	715/518,522.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:20
L10	1	9 and (serializ$6 element item data information table row format$6 output$6 retriev$6) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:33
L11	3	2 and (compact$6 compress$6 size resiz$5 re?size fit$5) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:44

L12	25	2 and (compact$6 compress$6 size resiz$5 re?size fit$5 receiv$6 format$6 output$4 formulat$6) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:36
L13	3	12 and (serial$6 compact$6 compress$6 size resiz$5 re?size fit$5 receiv$6 format$6 output$4 formulat$6 ((one single) adj1 string)) near5 (without "no" "not") near5 (inser$6 add$5 additional gap item data between spac$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:53
L14	15266	709/203,216-219,231-232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:43
L15	30	14 and (serial$6 compact$6 compress$6 size resiz$5 re?size fit$5 receiv$6 format$6 output$4 formulat$6) near5 (one single) adj1 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:44
L16	28	15 and (without "no" "not") near5 (inser$6 add$5 additional gap item data between spac$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:52
L17	6	("KUMAKURA, JIRO").inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:52
L18	5890	17 single near2 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:53
L19	0	17 and single near2 string	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:53
L20	0	17 and (without "no" "not") near5 (inser$6 add$5 additional gap item data between spac$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/05/23 10:53